

Condor Script Form

Folding Frame Day Wheelchair 90050

Melrose
KIWI CONCEPT CHAIRS

To Order Fill in the frame dimensions and features required. For variations describe in detail on a separate page. If you have any further questions contact us at the address at the bottom of the page.

SEND FORM

If online, click here to send via e-mail

Date _____

Delivery details _____

Name _____

Address _____

Phone _____

Fax / Cell _____

Email _____

Therapist details _____

Required by _____

TRIAL CHAIR REF: _____

Disability _____

Weight _____

Height _____

Shoe Size _____

T-Shirt Size _____

MEASUREMENTS (Refer to diagram)

Max User Weight 125kg

Materials ☐ Aluminium (std) ☐ Titanium **90050T**

A Seat width 14" ☐ 15" ☐ 16" ☐ 17" ☐
18" ☐ 19" ☐ 20" ☐

C Back height _____

I Camber (0°, 3°, 5°) _____

D Back angle (0° or 5°) _____

J Hanger Angle (70°, 80° or 90°) _____

A Custom seat width **AD10100**

E Seat to footplate _____

K ☐ Dynamic Rocker Back **AD10330**

B Seat depth 16" ☐ 18" ☐ 20" ☐ 22" ☐

F Seat to floor - front _____

Axle plate

☐ Standard ☐ Amputee

B Custom seat depth **AD10100**

G Seat to floor - rear _____

Additional User weight up to 165kg

☐ Reinforced Aluminium frame **AD10400**



☐ Reinforced Titanium frame **AD10410**

B Growth option in seat depth **AD10800**

H Balance Point _____

ADDITIONAL NOTES

(you can type here)



Condor Script Form

Folding Frame Day Wheelchair


Name _____

HANGER TYPE

☐ Swing Away



☐ Drop In (top)

☐ Drop In

☐ Fixed


FOOT-PLATE WIDTH


Width for Pro T and V style foot-plates




When measuring across feet you must add 2" (50mm)

SWING AWAY FOOTREST


Straight swing away




Pro T swing away



V swing away



Straight swing away



Pro T swing away



V swing away


☐ Straight Hangers

☐ 2 piece flip up plastic foot-plate (std)

☐ 2 piece flip up, angle adjustable foot-plates **AD11521**
☐ Pro T Hangers

☐ 1 piece flip up, angle adjustable, alloy foot-plate, opens to the left **AD11450**
☐ V Hangers

☐ 1 piece flip up, angle adjustable, alloy foot-plate, opens to the right (pictured) **AD11450**

DROP IN FOOTREST


Straight drop in D foot-plate




Pro T drop in D foot-plate



Straight drop in angle adj



Pro T drop in angle adj


☐ Straight Hangers


☐ D style foot-plate (std)

☐ ABS on foot-plate **AD11500**
☐ Pro T Hangers


☐ Angle adjustable foot-plate **AD11520**

FIXED FOOTREST


Straight fixed




Pro T fixed




V fixed




Straight fixed



Pro T fixed



V fixed


☐ Straight Hangers

☐ 2 piece flip up plastic foot-plate (std)

☐ 2 piece flip up, angle adjustable foot-plates **AD11521**
☐ Pro T Hangers

☐ 1 piece flip up, angle adjustable, alloy foot-plate, opens to the left **AD11450**
☐ V Hangers

☐ 1 piece flip up, angle adjustable, alloy foot-plate, opens to the right (pictured) **AD11450**

ELEVATING LEG REST

Made for the Swing Away front only

☐ Left **AD11610**
☐ Right **AD11610**
☐ Both **AD11600**

STUMP SUPPORT

Made for the Fixed and Swing Away fronts only

☐ Left **AD11650**
☐ Fixed

☐ Right **AD11650**
☐ Removable

☐ Both **AD11651**

Condor Script Form

Folding Frame Day Wheelchair

Name _____

CASTORS

- | | | | |
|---|---|---|---|
| ☐ 4" wide solid composite (std) | ☐ 5" solid composite (std) | ☐ 6" solid composite (std) | ☐ 8" x 1" solid composite AD11760 |
| ☐ 4" x 1.25" alloy AD11710 | ☐ 5" wide solid composite (std) | ☐ 6" wide solid composite (std) | ☐ 8" floater wide composite AD11761 |
| ☐ 4" wide soft roll alloy AD11806 | ☐ 5" solid alloy AD11740 | ☐ 6" solid alloy AD11742 | ☐ 8" pneumatic composite AD11780 |
| | ☐ 5" x 1.5" alloy AD11740 | ☐ 6" x 1.5" alloy AD11742 | |
| | ☐ 5" wide soft roll alloy AD11810 | ☐ 6" wide soft roll alloy AD11820 | |
| | | ☐ 6" pneumatic composite AD11750 | |

FORKS

- ☐ Standard forks (std) ☐ Frog Legs suspension **AD11950**

PUSH HANDLES

- | | | | |
|------------------------------|--|--|---|
| ☐ Nil | ☐ In back canes (std) | ☐ Stroller D AD14200 | ☐ Dual clamp adj height AD14120 |
| | ☐ Foldable in back canes AD14160 | ☐ Strollers twin removable AD14240 | ☐ Stroller handle with ratchet backrest AD14300 |

BRAKES

- | | | | |
|--|--|--|--|
| ☐ Nil | ☐ Pull to lock AD14510 | ☐ Reverse handles | ☐ Scissor AD14520 |
| ☐ Push to lock (std) | ☐ Hill climbers AD14530 | | ☐ Scissor Lock Composite AD14570 |
| ☐ Push to lock (long handle) AD14551 | ☐ Brake extensions AD14550 | | |

ANTI-TIPS

- | | | | |
|---|--|---|---|
| ☐ Nil | ☐ With plastic wheels | ☐ Stainless Steel with plastic wheels AD15025 | ☐ Adjustable anti tips AD15010 |
| ☐ Kick tube AD15040 | ☐ With roller-blades AD15030 | ☐ Flared w/plastic wheels AD15020
<small>(only for w/chairs smaller than "16 wide)</small> | ☐ Swing under anti tips AD15060 |

ARMRESTS

- | | |
|--|---|
| ☐ Nil | ☐ T adjustable height with desk pad armrest AD15260 |
| ☐ Foam tube swing away, lift out AD15200 | ☐ T adjustable height with full length pad armrest AD15261 |
| ☐ Desk pad swing away, lift out AD15210 | ☐ T adjustable height desk pad armrest with ABS skirt guard AD15280 |
| ☐ Full pad swing away, lift out AD15220 | ☐ T adjustable height full pad armrest with ABS skirt guard AD15281 |

UPHOLSTERY

- | | | | |
|--------------------------------------|--|--|---|
| ☐ Sling (std) | ☐ Tension adjustable back (std) | ☐ No cushion | ☐ Bag under chair AD16600 |
| | ☐ No back upholstery | ☐ Cushion 1" AD16201 | ☐ Bag on back of chair AD16680 |
| | ☐ To fit solid back | ☐ Cushion 2" AD16202 | ☐ Bag on front left hanger AD16620 |
| | | ☐ Cushion 3" AD16203 | ☐ Bag on front right hanger AD16620 |

SKIRT GUARDS

- ☐ Nil ☐ Fabric skirt guards **AD16100** ☐ ABS skirt guards drop in **AD16110**

STRAPS / BELTS, COVERS / GUARDS

- | | | |
|---|---|---|
| ☐ Leg strap (std) | ☐ Fabric foot-plate cover AD11510 | ☐ Seat belt - plastic buckle AD16500 |
| ☐ Heel loop straps (std) | ☐ Castor pivot covers AD16410 | ☐ Seat belt - adults car buckle AD16522 |
| | ☐ Hanger Impact guards (std) | |

TRAY

- ☐ Nil
- ☐ Slides over armrests **AD17000**
- ☐ With prong receivers **AD17010**

TIE DOWN MOUNTS

- ☐ 2 front and 2 rear **AD10320**

Condor Script Form

Folding Frame Day Wheelchair

Name _____

WHEELS**12.5" - 22"**

- ☐ 12.5" Transit Wheels
☐ 16" x 1.75" Composite Wheels
☐ 18" x 1" Spoked Wheels
☐ 18" x 1.75" Composite Wheels
☐ 20" x 1" Spoked Wheels
☐ 20" x 1-3/8" Spoked Wheels
☐ 20" x 1.75" Spoked Wheels
☐ 22" x 1" Spoked Wheels
☐ 22" x 1-3/8" Spoked Wheels
☐ 22" Spinergy LX Wheels (12 spoke - black only) **AD13310**

24"

- ☐ Spoked Wheels (std)
☐ Spinergy Day Wheels (18 spoke) **AD13300** (Choose your spoke colour) **Bk R Bl W Y**
☐ Spinergy LX Wheels (12 spoke) **AD13310** (Choose your spoke colour) **Bk R Bl W Y Gr Pk O**
☐ Spinergy LX Wheels with FlexRim (12 spoke - black only) **AD13315**
☐ X Core Wheels (5 spoke) **AD13108**
☐ 24" x 1.75" BMX Wheels (std)

25"

- ☐ Spoked Wheels (std)
☐ Spinergy Day (18 spoke) **AD13300** (Choose your spoke colour) **Bk R Bl W Y**
☐ Spinergy LX (12 spoke) **AD13310** (Choose your spoke colour) **Bk R Bl W Y Gr Pk O**
☐ Spinergy LX Wheels with FlexRim (12 spoke - black only) **AD13315**
☐ X Core Wheels (3 spoke) **AD13200**
☐ 24" x 1.95" BMX Wheels (std)

26"

- ☐ Spoked Wheels (std)
☐ Spinergy Day (18 spoke) **AD13300** (Choose your spoke colour) **Bk R Bl W Y**
☐ Spinergy LX (12 spoke) **AD13310** (Choose your spoke colour) **Bk R Bl W Y Gr Pk O**
☐ 26" x 1.75" BMX Wheels (std)

☐ Spare Wheel(s) Type: _____

Tyres: _____

Pushrims: _____

Size: _____

PUSHRIMS

- | | | | |
|---|---|--|--|
| ☐ Anodised (std) | ☐ Rubber coated (black) AD13850 | ☐ Foam AD13840 | ☐ Natural Fit no thumb grips AD13860 |
| ☐ Anodised (1") AD13855 | ☐ Rubber coated (1") AD13857 | ☐ Spinergy FlexRim - see Wheels | ☐ Natural Fit with thumb grips AD13860 |
| ☐ Vinyl AD13830 | ☐ Surge AD13864 | | ☐ Max Greppe AD13870 |
| ☐ Vinyl (1") AD13859 | | ☐ Capstan No. of projections: _____ | Angle: _____ Length: _____ |

PUSHRIMS - POSITION

- ☐ Standard
☐ In close
☐ Onto rim

AXLES

- ☐ Quick release axles (std)
☐ Quad release **AD12500**

SPOKE GUARDS

- ☐ Clear polycarb **AD13900**
☐ Black ABS **AD13901**

TYRES**12.5" - 22"**

- ☐ 12.5" Tread (std)
☐ 16" x 1.75" Tread (std)
☐ 18" x 1" HP Smooth (std)
☐ 18" x 1.75" Tread (std)
☐ 20" x 1" HP Smooth (std)
☐ 20" x 1-3/8" Tread (std)
☐ 20" x 1-3/8" Solid Tread (std)
☐ 20" x 1.75" Tread (std)
☐ 22" x 1" HP Smooth (std)
☐ 22" x 1-3/8" Tread (std)
☐ 22" x 1-3/8" Solid Tread (std)

24"

- ☐ 24" x 1" HP Smooth (std)
☐ 24" x 1" HP Tread (std)
☐ 24" x 1" Solid (std)
☐ 24" x 1-3/8" Tread (std)
☐ 24" x 1-3/8" Solid (std)
☐ 24" x 1-3/8" Kenda HP Tread **AD13710**
☐ 24" x 1-3/8" Primo V-Trak Knobbly **AD13715**
☐ 24" x 1" Kenda Ironcap Blue **AD13700**
☐ 24" x 1" Kenda Konstrictor **AD13720**
☐ 24" x 1" Schwalbe Right Run **AD13740**
☐ 24" x 1" Schwalbe Marathon Evo **AD13750**
☐ 24" x 1.75" BMX Tread (std)

25"

- ☐ 25" x 1" HP Smooth (std)
☐ 25" x 1" Solid (std)
☐ 25" x 1" Kenda Ironcap Blue **AD13700**
☐ 25" x 1" Kenda Konstrictor **AD13720**
☐ 25" x 1" Schwalbe Right Run **AD13740**
☐ 25" x 1" Schwalbe Marathon Evo **AD13750**
☐ 24" x 1.95" BMX Tread (std)

26"

- ☐ 26" x 1" HP Smooth (std)
☐ 26" x 1-3/8" Tread (std)
☐ 26" x 1" Solid (std)
☐ 26" x 1" Schwalbe Right Run **AD13740**
☐ 26" x 1" Schwalbe Marathon Evo **AD13750**
☐ 26" x 1.75" BMX Tread (std)

Condor Script Form

Folding Frame Day Wheelchair

Name _____


ATTENTION

THIS IS A GUIDE TO COLOURS ONLY, how colours appear on your monitor or when printed out may vary.


Talk to us if you want your Titanium frame coloured or polished.

Colour availability is subject to change without notice.

STANDARD & ENABLE CLIENT COLOURS



GLASS COLOURS



CANDY COLOURS



CANDY COLOURS (SPECIAL)



FLUORESCENT COLOURS

