

Kea Script

Childrens Fixed Frame Day Wheelchair 90700

Melrose
KIWI CONCEPT CHAIRS

To Order Fill in the frame dimensions and features required. For variations describe in detail on a separate page. If you have any further questions contact us at the address at the bottom of the page.

SEND FORM

If online, click here to send via e-mail

Date _____

Delivery details

Name _____

Address _____

Phone _____

Fax / Cell _____

Email _____

Therapist details

Required by

TRIAL CHAIR REF:

Disability _____ Weight _____ Height _____

Shoe Size _____

T-Shirt Size _____

MEASUREMENTS (Refer to diagram below)

Growable Sizes Sizes up to 12" wide are growable up to 15" wide maximum

A Seat width ☐ 2" growable 8" ☐ 3" growable 10" ☐ 3" growable 12"

E Seat to footplate

I Footplate width

B Seat depth (from 8" to a maximum of 16")

F Seat to floor - front

J Camber (0° or 3°)

C Back height

G Seat to floor - rear

Back Style

☐ Folding Back

D Back angle (from 0° to a maximum of 10°)

H Balance Point

K Front Style




☐ Standard

☐ Flared Front **AD10240**

IMPORTANT Ensure measurements C, E, F, G provide allowance for the cushion thickness

ADDITIONAL NOTES

(you can type here)



Name _____

FOOTPLATE

- ☐ One piece flip back (std) ☐ Fixed angle adjustable (std) ☐ Fabric padded cover on fixed or angle adjustable footplate **AD11510**

CASTORS

- ☐ 3" solid (std) ☐ 4" solid composite (std) ☐ 5" solid composite (std) ☐ 5" x 1.5" solid alloy **AD11740**
☐ 4" x 1.25" solid alloy **AD11710** ☐ 5" solid alloy **AD11740** ☐ 5" wide soft roll alloy **AD11810**
☐ 4" wide soft roll alloy **AD11806** ☐ 5" x 1.5" solid composite **AD11720**

FORKS

- ☐ Standard adjustable forks (std)

PUSH HANDLES

- ☐ Nil ☐ In back canes **AD14140** ☐ Single stroller (umbrella shaped handle mounted on grab bar) **AD14208**
☐ Removable single **AD14150** Height from floor to top of handle

BRAKES

- ☐ Nil ☐ Push to lock (std) ☐ Scissor Lock Composite **AD14570** ☐ Brake extension left **AD14550**
☐ Pull to lock **AD14510** ☐ Hill climbers **AD14530** ☐ Brake extension right **AD14550**

ANTI-TIPS

- ☐ Nil ☐ Pair of single anti-tips with plastic wheels (std)
☐ Pair of single anti-tips with rollerblades **AD15030** ☐ Pair of flared single anti-tips with plastic wheels **AD15020**
☐ Pair of swing under single anti-tips with plastic wheels **AD15060**

ARMRESTS

- ☐ Nil ☐ T height adj child's (8") pad armrest with ABS skirt guard **AD15279**
☐ T height adjustable with child's (8") pad armrest **AD15259** ☐ T height adj desk (10") pad armrest with ABS skirt guard **AD15280**
☐ T height adjustable with desk (10") pad armrest **AD15260**

SKIRT GUARDS

- ☐ Nil ☐ Fabric skirt guards (std) ☐ ABS drop in **AD16110** ☐ Mud guards **AD16164**

UPHOLSTERY

- ☐ Sling (std) ☐ No Cushion ☐ Cushion 2" **AD16202** ☐ Bag on back of chair **AD16680**
☐ Tension adjustable back (std) ☐ Cushion 1" **AD16201** ☐ Spare Cushion cover **AD16250**

STRAPS / BELTS, IMPACT GUARDS

- ☐ Leg strap (std) ☐ Seat belt with plastic buckle (std) ☐ Impact guards (std)
☐ Hip strap, 4 point **AD16540** ☐ Seat belt (child's) with metal car type buckle **AD16520** ☐ Other _____

TRAY

- ☐ Tray with prong receivers **AD17010**

TIE DOWNS

- ☐ 2 front, 2 rear **AD10320**
☐ Other _____

Name _____

WHEELS

TYRES

12.5"

12.5"

☐ 12.5" Transit Wheels

☐ 12.5" Tread (std)

☐ 12.5" Solid Tread (std)

16"

16"

☐ 16" x 1.75" Composite Wheels

☐ 16" x 1.75" Tread (std)

☐ 16" x 1.75" Solid Tread (std)

18"

18"

☐ 18" x 1" Spoked Wheels

☐ 18" x 1" HP Smooth (std)

☐ 18" x 1.75" Composite Wheels

☐ 18" x 1.75" Grey Tread (std)

20"

20"

☐ 20" Spoked Wheels

☐ 20" x 1" HP Smooth (std)

☐ 20" x 1.75" Spoked Wheels

☐ 20" x 1 3/8" Tread (std)

☐ 20" x 1 3/8" Composite Wheels

☐ 20" x 1 3/8" Solid Tread (std)

☐ 20" X-Core Composite Wheels

☐ 20" x 1.75" Grey Tread (std)

22"

Only Suitable for the 12" Frame

22"

☐ 22" Spoked Wheels

☐ 22" x 1" HP Smooth (std)

☐ 22" X-Core Composite Wheels

☐ 22" x 1 3/8" Tread (std)

☐ 22" Spinergy LX Wheels (12 spoke - black only) **AD13310**

☐ 22" x 1 3/8" Solid Tread (std)

☐ Spare Wheel(s) Type: _____

Tyres: _____

Pushrims: _____

Size: _____

AXLES

☐ Quick release axles (std)

☐ Quad release **AD12500**

PUSHRIMS

☐ Anodised (std)

☐ Rubber Coated (black) **AD13850**

PUSHRIMS - POSITION

☐ Standard

☐ In close

☐ Onto rim

SPOKE GUARDS

☐ Nil

☐ Clear polycarb **AD13900**

☐ Black ABS **AD13901**

ADDITIONAL NOTES

(you can type here)


Name _____

ATTENTION

THIS IS A GUIDE TO COLOURS ONLY, how colours appear on your monitor or when printed out may vary.

Talk to us if you want your Titanium frame coloured or polished.

Colour availability is subject to change without notice.

STANDARD & ENABLE CLIENT COLOURS**GLASS COLOURS****CANDY COLOURS****CANDY COLOURS (SPECIAL)****FLUORESCENT COLOURS**