

Stallion Script Form

Fixed Frame Adjustable Wheelchair 90100



To Order Fill in the frame dimensions and features required. For variations describe in detail on a separate page. If you have any further questions contact us at the address at the bottom of the page.

SEND FORM
If online, click here to send via e-mail

Date _____	Delivery details _____
Name _____	_____
Address _____	_____
_____	Therapist details _____
Phone _____	_____
Fax / Cell _____	Required by _____
Email _____	TRIAL CHAIR REF: _____
Disability _____	Weight _____
Height _____	Shoe Size _____
	T-Shirt Size _____

MEASUREMENTS (Refer to diagram)

Materials ☐ Aluminium (std) ☐ Titanium **90100T**

A Seat width 14" ☐ 15" ☐ 16" ☐ 17" ☐
18" ☐ 19" ☐ 20" ☐

A Custom seat width **AD10100**

B Seat depth 14" ☐ 16" ☐ 18" ☐ 20" ☐

B Custom seat depth **AD10100**

B Growth in seat depth **AD10900**

C Back height

D Back angle°

E Seat to footplate

F Seat to floor - front

G Seat to floor - rear

H Balance Point

I Castor Pivot Position

J Castor Pivot Centres

Max User Weight

115kg for up to 17" seat width
165kg for 18" seat width and above

K Camber (0°-5°)

L Hanger Angle

☐ 70° ☐ 80° (std) ☐ 90°

Back Style

☐ Folding Back ☐ Fixed Back

☐ **Dynamic Rocker Back** **AD10330**



Additional user weight up to 165kg

☐ Reinforced aluminium frame **AD10400**

☐ Reinforced titanium frame **AD10410**

ADDITIONAL NOTES

(you can type here)




Stallion Script Form

Fixed Frame Adjustable Wheelchair

Name _____

HANGER TYPE

☐ Swing Away



☐ Fixed





☐ Drop In



FOOT-PLATE WIDTH

Width for Pro T and V style foot-plates




When measuring across feet you must add 2" (50mm)

Front taper standard foot-plate width measurements


SEAT WIDTH	14"	16"	18"	20"
FOOT-PLATE WIDTH	12" (305mm)	12" (305mm)	13" (340mm)	15 " (381mm)

SWING AWAY FOOTREST


Straight Swing Away
2 flip up




Straight Swing Away
1 flip up



V Swing Away
2 flip up



V Swing Away
1 flip up



☐ Straight Hangers

☐ V Hangers

☐ 2 piece, flip up angle adjustable alloy foot-plates (std)

☐ 1 piece, flip up angle adjustable alloy foot-plate, opens to the left **AD11555**


☐ 1 piece, flip up angle adjustable alloy foot-plate, opens to the right (pictured) **AD11555**

FIXED FOOTREST


Straight Fixed
D style
foot-plate



Straight Fixed
2 flip up




Straight Fixed
1 flip up



Pro T Fixed
D style
foot-plate



Pro T Fixed
2 flip up




Pro T Fixed
1 flip up




V Fixed
D style
foot-plate



V Fixed
2 flip up



V Fixed
1 flip up



☐ Straight Hangers

☐ Pro T Hangers

☐ V Hangers

☐ D style foot-plate (std)

☐ Angle adjustable foot-plate (std)

☐ 2 piece, flip up angle adjustable alloy foot-plates (std)

☐ 1 piece, flip up angle adjustable alloy foot-plate, opens to the left **AD11550**

☐ 1 piece, flip up angle adjustable alloy foot-plate, opens to the right (pictured) **AD11550**

☐ ABS on foot-plate (std)

DROP IN FOOTREST

Straight Drop In
D style
foot-plate



Pro T Drop In
D style
foot-plate



☐ Straight Hangers

☐ Pro T Hangers

☐ D style foot-plate (std)

☐ Angle adjustable foot-plate (std)

☐ ABS on foot-plate (std)

ELEVATING LEG REST

Made for the Swing Away front only

☐ Left **AD11610**

☐ Right **AD11610**

☐ Both **AD11600**

STUMP SUPPORT

Made for the Fixed and Swing Away fronts only

☐ Left **AD11650**

☐ Right **AD11650**

☐ Both **AD11651**

☐ Fixed

☐ Removable

Stallion Script Form

Fixed Frame Adjustable Wheelchair

Name _____

CASTORS

- | | | | |
|---|---|---|--|
| ☐ 4" solid composite (std) | ☐ 5" solid composite (std) | ☐ 6" solid composite (std) | ☐ 8" solid composite AD11760 |
| ☐ 4" wide solid composite (std) | ☐ 5" solid alloy AD11740 | ☐ 6" solid alloy AD11742 | ☐ 8" floater composite AD11761 |
| ☐ 4" x 1.25" solid alloy AD11710 | ☐ 5" x 1.5" solid composite AD11720 | ☐ 6" x 1.5" solid composite AD11730 | ☐ 8" pneumatic composite AD11780 |
| ☐ 4" wide soft roll alloy AD11806 | ☐ 5" x 1.5" solid alloy AD11740 | ☐ 6" x 1.5" solid alloy AD11742 | |
| | ☐ 5" wide soft roll alloy AD11810 | ☐ 6" wide soft roll alloy AD11820 | |
| | | ☐ 6" pneumatic composite AD11750 | |

FORKS

- ☐
- Standard forks (std)
- ☐
- Other _____

PUSH HANDLES

- | | | | |
|------------------------------|---|--|--|
| ☐ Nil | ☐ Removable on grab bar AD14100 | ☐ In back canes AD14140 | ☐ Stroller D AD14200 |
| | ☐ Dual clamp adj height AD14120 | ☐ Foldable in back canes AD14160 | ☐ Stroller handles removable AD14240 |

BRAKES

- | | | | |
|--|--|--|---|
| ☐ Nil | ☐ Pull to lock AD14510 | ☐ Reverse handles | ☐ Footbrake AD14660 |
| ☐ Push to lock (std) | ☐ Brake extensions AD14550 | ☐ Scissor AD14520 | |
| ☐ Push to lock (long handle) AD14551 | ☐ Hill climbers AD14530 | ☐ Scissor lock composite AD14570 | |

ANTI-TIPS

- | | | | |
|---|---|--|---|
| ☐ Nil | ☐ With plastic wheels (std) | ☐ Stainless Steel with plastic wheels AD15025 | ☐ Adjustable anti tips AD15010 |
| ☐ Kick tube AD15040 | ☐ With rollerblades AD15030 | ☐ Flared w/plastic wheels AD15020
(only for w/chairs smaller than "16 wide) | ☐ Swing under anti tips AD15060 |

ARMRESTS

- | | |
|--|---|
| ☐ Nil | ☐ T adjustable height with desk pad armrest AD15260 |
| ☐ Foam tube swing away, lift out AD15200 | ☐ T adjustable height with full length pad armrest AD15261 |
| ☐ Desk pad swing away, lift out AD15210 | ☐ T adjustable height desk pad armrest with ABS skirt guard AD15280 |
| ☐ Full pad swing away, lift out AD15220 | ☐ T adjustable height full pad armrest with ABS skirt guard AD15281 |

UPHOLSTERY

- | | | | |
|--|--|---|---|
| ☐ Sling (std) | ☐ To fit solid back _____ | ☐ Cushion 2" AD16202 | ☐ Bag on back of chair AD16680 |
| ☐ No back upholstery | _____ | ☐ Cushion 3" AD16203 | ☐ Bag on front left hanger AD16620 |
| ☐ Tension adjustable back (std) | ☐ Cushion 1" AD16201 | ☐ Bag under chair AD16600 | ☐ Bag on front right hanger AD16620 |

SKIRT GUARDS

- | | | | |
|---|--|---|---|
| ☐ Nil | ☐ ABS drop in AD16110 | ☐ Alloy with fixed back AD16130 | ☐ Carbon Fibre folding back AD16160 |
| ☐ Fabric skirt guards AD16100 | ☐ ABS fabric covered AD16120 | ☐ Alloy with folding back AD16140 | |

STRAPS / BELTS, GUARDS, GLOVES

- | | | |
|---|---|--|
| ☐ Leg strap (std)
or | ☐ Impact guards hangers (std) | ☐ Seat belt with plastic buckle AD16500 |
| ☐ Heel loops (std) | ☐ Impact guards back bars AD16420 | ☐ Seat belt (adult) with metal car type buckle AD16522 |
| | ☐ Castor pivot covers AD16410 | ☐ Hip strap 4 point belt AD16540 |
| ☐ Gloves
(size & style) | ☐ Fabric footplate cover AD11510 | |

TRAY

- ☐
- With prong receivers
- AD17010**
-
- ☐
- Slides over armrests
- AD17000**

TIE DOWN MOUNTS

- ☐
- 2 front and 2 rear
- AD10320**

Stallion Script Form

Fixed Frame Adjustable Wheelchair

Name _____

WHEELS**16" - 22"**

- ☐ 16" x 1.75" Composite Wheels
☐ 18" x 1" Spoked Wheels
☐ 18" x 1.75" Composite Wheels
☐ 20" x 1" Spoked Wheels
☐ 20" x 1-3/8" Spoked Wheels
☐ 20" x 1.75" Spoked Wheels
☐ 22" x 1" Spoked Wheels
☐ 22" x 1-3/8" Spoked Wheels
☐ 22" Spinerger LX Wheels (12 spoke - black only) **AD13310**

24"

- ☐ Spoked Wheels (std)
☐ Spinerger Day Wheels (18 spoke) **AD13300** (Choose your spoke colour) **Bk R Bl W Y**
☐ Spinerger LX Wheels (12 spoke) **AD13310** (Choose your spoke colour) **Bk R Bl W Y Gr Pk O**
☐ Spinerger LX Wheels with FlexRim (12 spoke - black only) **AD13315**
☐ X Core Wheels (5 spoke) **AD13108**
☐ Dino Wheels **AD13360** (Choose your spoke colour) **Bk R Bl Sv Go Gr Pk O LB Pu**
☐ 24" x 1.75" BMX Wheels (std)

25"

- ☐ Spoked Wheels (std)
☐ Spinerger Day (18 spoke) **AD13300** (Choose your spoke colour) **Bk R Bl W Y**
☐ Spinerger LX (12 spoke) **AD13310** (Choose your spoke colour) **Bk R Bl W Y Gr Pk O**
☐ Spinerger LX Wheels with FlexRim (12 spoke - black only) **AD13315**
☐ X Core Wheels (3 spoke) **AD13200**
☐ Dino Wheels **AD13360** (Choose your spoke colour) **Bk R Bl Sv Go Gr Pk O LB Pu**
☐ 24" x 1.95" BMX Wheels (std)

26"

- ☐ Spoked Wheels (std)
☐ Spinerger Day (18 spoke) **AD13300** (Choose your spoke colour) **Bk R Bl W Y**
☐ Spinerger LX (12 spoke) **AD13310** (Choose your spoke colour) **Bk R Bl W Y Gr Pk O**
☐ 26" x 1.75" BMX Wheels (std)

☐ Spare Wheel(s) Type: _____

Tyres: _____

Pushrims: _____

Size: _____

TYRES**16" - 22"**

- ☐ 16" x 1.75" Tread (std)
☐ 18" x 1" HP Smooth (std)
☐ 18" x 1.75" Tread (std)
☐ 20" x 1.75" Tread (std)
☐ 20" x 1" HP Smooth (std)
☐ 20" x 1-3/8" Tread (std)
☐ 20" x 1" Solid (std)
☐ 22" x 1" HP Smooth (std)
☐ 22" x 1-3/8" Tread (std)
☐ 22" x 1" Solid (std)

24"

- ☐ 24" x 1" HP Smooth (std)
☐ 24" x 1" HP Tread (std)
☐ 24" x 1" Solid (std)
☐ 24" x 1-3/8" Tread (std)
☐ 24" x 1-3/8" Solid (std)
☐ 24" x 1-3/8" Kenda HP Tread **AD13710**
☐ 24" x 1-3/8" Primo V-Trak Knobbly **AD13715**
☐ 24" x 1" Kenda Ironcap Blue **AD13700**
☐ 24" x 1" Kenda Konstrictor **AD13720**
☐ 24" x 1" Schwalbe Right Run **AD13740**
☐ 24" x 1" Schwalbe Marathon Evo **AD13750**
☐ 24" x 1.75" BMX Tread (std)

25"

- ☐ 25" x 1" HP Smooth (std)
☐ 25" x 1" Solid (std)
☐ 25" x 1" Kenda Ironcap Blue **AD13700**
☐ 25" x 1" Kenda Konstrictor **AD13720**
☐ 25" x 1" Schwalbe Right Run **AD13740**
☐ 25" x 1" Schwalbe Marathon Evo **AD13750**
☐ 24" x 1.95" BMX Tread (std)

26"

- ☐ 26" x 1" HP Smooth (std)
☐ 26" x 1-3/8" Tread (std)
☐ 26" x 1" Solid (std)
☐ 26" x 1" Schwalbe Right Run **AD13740**
☐ 26" x 1" Schwalbe Marathon Evo **AD13750**
☐ 26" x 1.75" BMX Tread (std)

AXLES

- ☐ Quick release axles (std) ☐ Quad release **AD12500**

SPOKE GUARDS

- ☐ Clear polycarb **AD13900** ☐ Black ABS **AD13901**

PUSHRIMS

- ☐ Anodised (std) ☐ Surge **AD13864** ☐ Natural Fit no thumb grips **AD13860** ☐ Spinerger FlexRim see Wheels
☐ Rubber Coated (black) **AD13850** ☐ Max Greppe **AD13870** ☐ Natural Fit with thumb grips **AD13860**
☐ Vinyl **AD13830** ☐ Capstan No. of projections: _____ Angle: _____ Length: _____

PUSHRIMS - POSITION

- ☐ Standard ☐ In close ☐ Onto rim

Stallion Script Form

Fixed Frame Adjustable Wheelchair

Name _____


ATTENTION

THIS IS A GUIDE TO COLOURS ONLY, how colours appear on your monitor or when printed out may vary.

Talk to us if you want your Titanium frame coloured or polished.

Colour availability is subject to change without notice.

STANDARD & ENABLE CLIENT COLOURS



GLASS COLOURS



CANDY COLOURS



CANDY COLOURS (SPECIAL)



FLUORESCENT COLOURS

